

# 关于MySQL的几个误会

林晓斌

## ■ Server

- DDL

- IO

- index

- DBA

# ACMUG

# MySQL事务和InnoDB事务

```
mysql> show processlist;
```

Id	User	Host	db	Command	Time	State	Info
3	root	localhost	test	Sleep	416		NULL
4	root	localhost:32988	test	Query	0	starting	show processlist
5	root	localhost:33058	test	Query	3	Waiting for table metadata lock	alter table ta add k in

```
3 rows in set (0.00 sec)
```

```
mysql> select * from information_schema.innodb_trx;  
Empty set (0.00 sec)
```

# lock\_wait\_timeout 越小越好?

```
mysql> show processlist;
```

Id	User	Host	db	Command	Time	State	Info
4	root	localhost:46940	test	Query	29	Waiting for table metadata lock	alter table ta add g int
5	root	localhost:46988	test	Query	0	starting	show processlist

```
2 rows in set (0.00 sec)
```

```
mysql> select * from information_schema.innodb_trx;
```

trx_id	trx_state	trx_started	trx_requested_lock_id	trx_wait_started	trx_weight	trx_mysql_thread_id	trx_query
2360	RUNNING	2018-02-22 14:55:12	NULL	NULL	0	4	alter table ta add g int

```
1 row in set (0.00 sec)
```

客户端 ctrl + c 是直接结束线程

```
8 Query      select sleep(2)
9 Connect    root@localhost on  using SSL/TLS
9 Query      KILL QUERY 8
9 Quit
```

# 设置min\_examined\_row\_limit

- 用于减少不必要的慢查询日志?

ACMUG

- Server

- DDL

- IO

- index

- DBA

ACMUG

# 关于表空间的误会

---加个字段反而空间变小?

---varchar(256)改成varchar(32) 反而空间变大?



# Inplace DDL需不需要额外存储空间

- 如果需要，需要多少

ACMUG

# Inplace DDL 替代 copydata 是无损的?

- Duplicate entry 'xxxxxx' for key 'PRIMARY'

ACMUG

- Server

- DDL

- IO

- index

- DBA

ACMUG

lops用不完，iops再设置大一点？

- 吞吐量已经也是瓶颈之一

ACMUG

# locapticty改小会导致脏页变多?

- InnoDB写放大效应
- 异步flush的消解

ACMUG

# 尽量用顺序写盘替代随机写?

- 8.0 innodb\_flush\_neighbors 默认值改为0

ACMUG

- Server
- DDL
- IO
- index
- DBA

ACMUG

# Unique index 比普通索引快?

- 查询
- 更新

ACMUG



# DBA是用来背锅的？

- 没事老板想不起来
- 想起来就是故障

ACMUG

# ACMUG

Q&A